

5

RECEIVED
 JAN 3 1998
 DOCUMENT CONTROL


| REVISIONS | | | | |
|-----------|----|-----------------------------|------------|--------|
| LETTER | NO | DESCRIPTION | DATE | APPRVD |
| - | | INITIAL RELEASE. ER 4/20 | 0103 98 | DAC |

NOTES:

- CAPACITANCE: 18 nF-22 nF.
- DISSIPATION FACTOR: .005 MAX @ 25° C, 1 KHZ.
- DIELECTRIC WITHSTANDING VOLTAGE:
 2.7 KV RATED
 4.05 KV BURN-IN FOR 2 HRS @ 100°C
 5.4 KV PROOF FOR 5 SECONDS
- MYLAR WRAPPED, EPOXY ENDCAPPED
- INK STAMP WITH BLACK EPOXY INK:

M203A272A000
 RI 7W90
 20NF ±10% 2700 WVDC
 DATE CODE

- EQUALLY DISTANT WITHIN .218, BOTH ENDS
- EQUALLY DISTANT WITHIN .062, BOTH ENDS
- BLACK DOT INDICATES OUTSIDE FOIL



SCHEMATIC

THIS IS A COMPUTER GENERATED DRAWING.
 ALL CHANGES ARE MADE BY COMPUTER ONLY.

| | | | | | | | | |
|---------------|---------|---|--|-----------|---|---------------------|----------------------------|----------|
| | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | DRAWN N ROCK | 9-4 97 | REYNOLDS INDUSTRIES, INC. 3070 SKYWAY DR BLDG 301 SANTA MARIA, CA 93455 | | | |
| | | TOLERANCES FRACTIONS ± ANGLES ± DECIMALS .XX± DECIMALS .XXX± | CHECK DAC | 10/23/97 | CAPACITOR, RECON MICA 20 nF ±10% 2700VWDC | | | |
| | | MATERIAL | APPR A.N. Kowalski | 10/23/97 | SIZE B | CODE IDENT 7W970 | DRAWING NO M203A272A000 | REV - |
| | | FINISH | THIS DOCUMENT, THE DRAWINGS AND TECHNICAL DATA CONTAINED HEREON ARE THE PROPERTY OF REYNOLDS INDUSTRIES INC. REPRODUCTION OR DISSEMINATION IN ANY FORM, EXCEPT AS EXPRESSLY AUTHORIZED BY THE OWNER, IS FORBIDDEN. THE HOLDER AGREES TO RETURN THIS DOCUMENT TO THE OWNER ON DEMAND. | | SCALE: | | | |
| NEXT ASSEMBLY | USED ON | | | | | | | |
| APPLICATION | | | | | | | | |